

## 2-1/8" x 12" FRP Decking

FRP decking is designed to replace wood or other less versatile surfaces such as steel or aluminum. FRP decking is a strong and non-corrosive surface providing a long-term solution for applications such as walkways, deck systems, roofing and tank covers. The design of our 12" and 24" decking allows for flexible installations in situations where structural inaccuracies exist. Best uses for FRP The design of our 12" and 24" decking allows for flexible installations in situations where structural inaccuracies exist. decking include cooling towers, recreation docks and walkways where the life of the decking really counts.



- Boat Docks
- Bridge Decks
- Filter Media Supports
- Hatch Covers
- Paneling
- Roofing
- Pools
- Recreation Areas
- Replacement for

**Covered Closed Grating** 

- Tank Covers for Odor
- Control
- Walkways
- **Benefits**
- Does not bow

- Flexible installation to compensate for structure inaccuracies
- Prevents tripping hazards
- Versatile
- Strong
- Easy to install
- Cost effective
- Does not rust, rot or bow
- Non-conductive

## **Options**

- Vented Surface or
- Anti-skid Surface necessary when installed as a walking surface






## 2-1/8" x 12" FRP Decking

## Load/Deflection Table

Inches deflection for Uniform Load Inches deflection for Concentrated Load

LOAD Lbs./ Ft. <sup>2</sup> for Uniform load or Lbs. across width of deck for Concentrated Load

20/10 EDS./ T.C. TOT OTHIOTH TOUGH OF EDS. ACTOSS WIGHT OF ACCRETO CONCENTRATED EDGE									
Span	Load	50	100	150	200	300	500	1000	1500
		0.006	0.012	0.018	0.024	0.036	0.060	0.120	0.180
		0.004	0.008	0.012	0.016	0.024	0.040	0.080	0.119
		0.012	0.024	0.037	0.049	0.073	0.122	0.245	
		0.007	0.014	0.020	0.027	0.041	0.068	0.136	0.204
		0.023	0.045	0.068	0.091	0.136	0.227	0.453	
		0.011	0.022	0.033	0.043	0.065	0.109	0.217	0.326
		0.039	0.078	0.117	0.156	0.234	0.389		
		0.016	0.033	0.049	0.066	0.098	0.164	0.328	
		0.063	0.126	0.189	0.252	0.378	0.631		
		0.024	0.047	0.071	0.094	0.142	0.236	0.472	
		0.097	0.195	0.292	0.389	0.584			
		0.033	0.066	0.098	0.131	0.197	0.328	0.656	
		0.144	0.289	0.433	0.577				
		0.044	0.088	0.133	0.177	0.265	0.442		
		0.207	0.414	0.621	0.828				
		0.058	0.116	0.174	0.232	0.348	0.580		
		0.288	0.577	0.865	1.154				
		0.075	0.149	0.224	0.298	0.447	0.746		



THIS DRAWING IS THE SOLE PROPERTY OF COOLING TOWER DEPOT INC, USE SHALL BE LIMITED TO THE PROJECT FOR WHICH IT IS INTENDED, NO REPRODUCTION SHALL BE MADE AVAILABLE TO THIRD PARTIES WITHOUT THE PRIOR WRITTEN CONSENT BY COOLING TOWER DEPOT INC. ANY AND ALL PROPRIETARY RIGHTS TO THIS INFORMATION AND DESIGN ARE THE SOLE PROPERTY OF COOLING TOWER DEPOT INC.						REV:
REVISIONS  COOLING TOWER DEPOT, INC					9	0
				CORPORATE CIRCLE GOLDEN, CO 80401 720-746-1234	NO SCAL	-10
						<u> </u>
						_
R	R SHALL THIS INFORMATION BE MADE AVAILABLE TO THI ARY RIGHTS TO THIS INFORMATION AND DESIGN ARE THI REVISIONS	R SHALL THIS INFORMATION BE MADE AVAILABLE TO THIRD PARTIES WITHOUT RRY RIGHTS TO THIS INFORMATION AND DESIGN ARE THE SOLE PROPERTY OF C	S SHALL THIS INFORMATION BE MADE AVAILABLE TO THIRD PARTIES WITHOUT THE PRIOR W IRY RIGHTS TO THIS INFORMATION AND DESIGN ARE THE SOLE PROPERTY OF COOLING TOW REVISIONS	S SHALL THIS INFORMATION BE MADE AVAILABLE TO THIRD PARTIES WITHOUT THE PRIOR WRITTEN CON RRY RIGHTS TO THIS INFORMATION AND DESIGN ARE THE SOLE PROPERTY OF COOLING TOWER DEPOT IN REVISIONS	REVAILABLE TO THIRD PARTIES WITHOUT THE PRIOR WRITTEN CONSENT BY COOLING TOWER DEPOT INC. ANY AND ALL RRY RIGHTS TO THIS INFORMATION AND DESIGN ARE THE SOLE PROPERTY OF COOLING TOWER DEPOT INC.    DESCRIPTION	REVAIL THIS INFORMATION BE MADE AVAILABLE TO THIRD PARTIES WITHOUT THE PRIGH WRITTEN CONSENT BY COOLING TOWER DEPOT INC. ANY AND ALL RRY RIGHTS TO THIS INFORMATION AND DESIGN ARE THE SOLE PROPERTY OF COOLING TOWER DEPOT INC.    DESCRIPTION